

Headlight Fairing Cover for Harley Breakout

2013-2017

VST-010103-055



BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.



IMPORTANT

This headlight fairing cover is exclusively designed for your motorcycle. Please read the installation instructions thoroughly before beginning. Installation is easier if the motorcycle is clean and free of debris.

INSTALLATION INSTRUCTIONS

Note: Shift motorcycle transmission into "PARK". Turn key to "OFF" position and remove from motorcycle.

1. Products Display




2. Disconnect the original motorcycle headlight Wire harness and remove the headlight, then unscrew one of the fixing screws on the headlight install bracket. Next, align the installation bracket that include in the package with the fixing hole on the headlight bracket. Finally, screw back the disassembled screws (do not tighten them yet), and fix the bracket on the other side using the same method. As the picture shows:

Headlight Fairing Cover for Harley Breakout

2013-2017

VST-010103-055



4. Finally, fix the headlight fairing onto the mounting bracket with screws. As the picture shows:



3. Reconnect the original motorcycle headlight harness connector and secure the headlight. As the picture shows:



Headlight Fairing Cover for Harley Breakout 2013-2017

VST-010103-055



5. Installation finished.



Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.