

Fairing Trim Cover Bezel with DRL LED Light for Harley Davidson Road Glide 2014+

VST-010103-061



BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

IMPORTANT

This fairing trim cover with light is exclusively designed for your motorcycle. Please read the installation instructions thoroughly before beginning. Installation is easier if the motorcycle is clean and free of debris.

INSTALLATION INSTRUCTIONS

Note: Shift motorcycle transmission into "PARK". Turn key to "OFF" position and remove from motorcycle.

1. Products Display



2. First remove the original windshield, and then unscrew the screws holding the front fairing. As the picture shows:

Note: The fairing does not need to be completely taken down, as long as it is convenient to cross the wire when installing decorative lights later.




3. Pull the wiring harness of the fairing cover lights from the headlights through the fairing to the windshield, and connect it with the wiring harness plug-in reserved for the original motorcycle, and then start the motorcycle to check whether the light work normally. As the picture shows:



Fairing Trim Cover Bezel with DRL LED Light for Harley Davidson Road Glide 2014+

VST-010103-061



4. Make sure there is no error and then use the matching self-tapping screws to fix the light on the fairing, and finally install the windshield and other accessories back. As the picture shows:

5. Installation finished.



Fairing Trim Cover Bezel with DRL LED Light for Harley Davidson Road Glide 2014+

VST-010103-061



Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.