

### **BEFORE YOU BEGIN**

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

#### **IMPORTANT**

This LED TAILLIGHT KIT is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris.

### INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.

1. Kit Contents






2. Unscrew the two screws fixing the original taillight for standby, unplug the harness plug-in and remove the original taillight.



3. Take out the harness provided in the product.

## LED Tail Light for Harley Dyna Road King Electra Glide Street Bob Touring VST-010107-001




A. Turn on the power supply of the vehicle and insert the plug with black wire into the socket of the original vehicle. Test the green wire in the other three vacant jacks, find the jack that can light up the taillight (Red low brightness + white light), and leave the green wire in that jack (do not insert it tightly at the moment).

B. Test the red wire in the remaining two vacant jacks, find the jack that can light up the brake light (Red highlight, during the test, you need to step on the brake), and leave the red wire in that jack (do not plug it tightly at the moment).

C. Unplug the black plug. According to the results of steps A and B, insert the green wire and the red wire into the corresponding jack

Notice: The wire insertion sequence is for reference only. The wire insertion sequence will be different for different models.





VEISUTOR



4. Tidy up the connected adapter wires, then fix the taillight.



5. Installation finished.

# LED Tail Light for Harley Dyna Road King Electra Glide Street Bob Touring VST-010107-001



