

LED Rear Tail Lights for Honda Gold Wing GL1800

VST-010202-003



BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

IMPORTANT

This LED rear tail light is exclusively designed for your vehicle. Please read the installation instructions thoroughly before beginning. Installation is easier if the vehicle is clean and free of debris.

INSTALLATION INSTRUCTIONS

Note: Shift vehicle transmission into "PARK". Turn key to "OFF" position and remove from vehicle.

1. Products Display



2. Open the Rear luggage cover of the original motorcycle first, then unscrew the harness cover of the original tail lamp, and finally disconnect the harness connector to remove the original tail lamp. As the picture shows:



3. Break the green, red green power cords skin of the entire motorcycle tail lamp black connector harness and white brown power cord of the white connector. Then connect the new tail lamp extension cord with them and wrap it with insulating tape

Note:

Black extension cable connected to green cable




White extension cable connected to red green cable

Yellow extension cable connected to white brown cable.

As the picture shows:

LED Rear Tail Lights for Honda Gold Wing GL1800

VST-010202-003



4. Connect the connected extension cable to the same color harness on the new tail lamp, and then start the motorcycle and gently brake. Check the tail lamp function for proper operation. After confirming that there is no error,

perform fixed installation (the other side is replaced and installed in the same way)



5. Installation finished.



LED Rear Tail Lights for Honda Gold Wing GL1800

VST-010202-003



Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.