

Rear Fender for Yamaha x-max 300 2017-2023

VST-010403-001



BEFORE YOU BEGIN

Read these instructions and check to be sure all parts and tools are accounted for. Please retain these installation instructions for future reference.

IMPORTANT

This rear fender is exclusively designed for your motorcycle. Please read the installation instructions thoroughly before beginning. Installation is easier if the motorcycle is clean and free of debris.


INSTALLATION INSTRUCTIONS

Note: Shift motorcycle transmission into "PARK". Turn key to "OFF" position and remove from motorcycle.

1. Products Display



2. First, remove the original exhaust pipe and exhaust pipe decoration. The intake box on the other side also needs to be removed. Then clip the fender onto the upper side of the rear wheel. As the picture shows:



3. Place the fender at the installation location of the motorcycle and unscrew the screws that secure the rear brake oil pipe. Thread the


Rear Fender for Yamaha x-max 300 2017-2023

VST-010403-001



screw through the fixing hole of the fender and then screw it back in place. Prepare M5 tap and Tapping the reserved fixing holes for motorcycles. Then use the screw flat pad (M5 * 12) provided with the product to fix the mudguard. As the picture shows:

4. Move to the other side of the motorcycle. First, unscrew the screw marked in the picture and replace it with the screw that comes with the product. Then screw the replacement screws back in place while securing the mudguard with nuts. Finally, install the previously disassembled air inlet box and exhaust pipe decoration back in place. As the picture shows:



Rear Fender for Yamaha x-max 300 2017-2023

VST-010403-001



5.Installation finished



Note: Please refer to the installation video in the Amazon listing before your installation, or contact the seller for the installation video.